

AURORA
BOREALE

Expand your Brightness



SCAN TO VISIT OUR
WEBSITE

www.ablighting.ae

ABTECH Lighting Solutions

AURA

DATASHEET AURLO3

Recessed/Surface/Pendent Glow Light



AURA

AURLO3



Description

AURLO3 is an oval LED luminaire delivering soft, uniform illumination with a modern “moonlight” effect for refined architectural interiors.

Ideal for

- Dining tables and meeting tables (linear focal lighting)
- Offices and workspaces
- Residential dining and living areas
- Hospitality and lounge environments
- Corridors and transition spaces
- Feature ceiling layouts and suspended lighting compositions

Key Feature



- **Elegant oval** (rectangular-round) geometry for distinctive ceiling compositions



- **Uniform opal diffuser** ensuring smooth, glare-free light distribution



- **Surface & suspended** mounting flexibility for versatile applications



- **Extruded aluminum** body with premium finishing options



- **Wide customization** in size, power (200–100W), and CCT configurations

AURA

AURLO3

Beam Angle

120°

IP

20

Life time

5


Years

Shape


Rectangular
Round (OVAL)

CRI

>80/90



AURLO3 Indicative Intensity Distribution Curve
Oval Luminaire | Opal PMMA | 120° Beam



Voltage

220~240V

Diffuser

opal PMMA

Efficiency
lm/W

Up to **170 lumen/Watt**
from the light source

Dimming

On/Off, Dali, Phase Cut, 0-10V, 1-10V

Body Material

Extruded aluminum

Finishing Colors

White Black Silver

Mounting



Pendant




Surface



Recessed

CCT



Led Brand | Driver Brand


TCI LED
professional led applications

TRIDONIC PHILIPS

AURA

AURLO3

Dimension and Capacity



Height (mm)	Diameter (mm)	Power (Watt)	Driver Location
35	180 ~ 600	30 ~ 100	External
68	180 ~ 800	30 ~ 150	External
80	180 ~ 600	30 ~ 100	External
118	180 ~ 600	30 ~ 100	External

AURA

AURLO3



Accessories



Recessed clips



Suspension kit



Surface clips



Pendent light base
(Optional)



AURORA BOREALE