

AURORA
BOREALE

Expand your Brightness



SCAN TO VISIT OUR
WEBSITE

www.ablighting.ae

ABTECH Lighting Solutions

NOVA

DATASHEET NOVA-15 / NOVA-22 / NOVA-30 / NOVA-40 / NOVA-50

Anti-Glare Deep Recessed Downlight



NOVA

Anti-Glare Deep Recessed Downlight



 **IP65**
Ideal for wet and Covered outdoor areas

Description

High-performance architectural recessed downlight designed with deep anti-glare optics, high efficiency, and robust thermal management. Suitable for commercial, residential, and semi-outdoor environments requiring IP65 protection.


APPLICATIONS

- Commercial spaces
- Retail environments
- Hospitality projects
- Residential interiors
- Bathrooms and wet areas
- Covered outdoor areas
- Corridors and lobbies

Key Feature

- **Deep recessed anti-glare**
optical design for enhanced visual comfort
- **5-year warranty**
ensuring long-term reliability
- **Flexible configuration**
in beam control, color temperature, CRI, and dimming systems
- **Wide adaptability**
for multiple applications including indoor and semi-outdoor (IP65 front protection)
- **Modular configuration platform**
allowing customization of light source, output, and control systems
- **Dual LED technology options (COB / SMD)**
to match project performance and budget requirements
- **Compatible with leading European**
driver systems for integration into professional lighting controls
- **High thermal performance design**
ensuring stable output and long lifespan

Anti-Glare Deep Recessed Downlight



Input Voltage	220-240V AC
---------------	-------------



NOVA

Anti-Glare Deep Recessed Downlight



Led Technology Options

COB



SAMSUNG

- Focused beam control
- Enhanced anti-glare performance
- Preferred for premium architectural lighting

SMD

OSRAM

- Higher efficiency output
- Uniform light distribution
- Cost-effective solution

INSTALLATION

- **Type:** Recessed ceiling
- **Fixing:** Spring clip system

NOTES

- UGR value is estimated based on optical design
- Customization available upon request (CCT, driver, beam angle)
- Dimensions may vary slightly depending on configuration

AUORA
BOREALE

