

AURORA
BOREALE

Expand your Brightness



SCAN TO VISIT OUR
WEBSITE

www.ablighting.ae

ABTECH Lighting Solutions

GLIDE

DATASHEET Glide GLDL3

Front Bendable linear Light



GLIDE

GLDL3 Front Bend Linear Light



Description

GLDL3 is a front-bendable linear LED luminaire engineered to create smooth vertical curves, flowing wave patterns, and continuous architectural lighting forms.

Ideal for

- wave ceilings and flowing geometries
- Feature ceilings and wave lighting concepts
- Hospitality and luxury interiors
- Retail and commercial feature zones
- Offices and collaborative spaces
- Decorative suspended installations

Key Feature

- **Front-bend flexibility**
enabling organic curves and sculptural lighting forms
- **Slim aluminum Profile**
(40mm x 20mm) for minimal visual impact
- **Compatible with**
multiple dimming systems (DALI, 10-0V, Phase Cut)
- **Customizable shapes:**
waves, loops, curves, and feature installations

GLIDE

GLDL3 Front Bend Linear Light

Beam Angle

120°

IP

20

Life time

5

Years

Shape



Rectangular

CRI

>80/90



Indicative Intensity Distribution Curve
Linear Light 40 mm | Opal PMMA | 120° Beam 0°



Mounting



Power

20W ~ 40W

Voltage

220~240V

Diffuser

opal PMMA

Efficiency
Llm/W

Up to **170 lumen/Watt**
from the light source

Dimension

40mm X 20mm

Thickness

3mm

Dimming

On/Off, Dali, Phase Cut, 0-10V, 1-10V


Body Material

Extruded aluminum

Finishing Colors

White Black Silver

CCT



Led Brand | Driver Brand

TCL LED

TRIDONIC PHILIPS

GLIDE

GLDL3 Front Bend Linear Light



Accessories



Recessed clips



Suspension kit



Surface clips



Pendent light base
(Optional)

AUROLA
BOREALE

